PESOFIT®

SURAKSHIT SAATHI ZINDAGI KA

About Company

Dynamics Multipro, based at Bhusawal, District Jalgaon, is a prominent manufacturer specializing in Rigid PVC Electrical Conduit Pipes and Accessories. Our commitment to excellence drives us to seamlessly blend innovation with quality, ensuring the delivery of reliable solutions for electrical conduit needs. With a focus on precision and durability, we stand as a trusted name in providing top-notch products that meet industry standards.

Vision

Pioneering innovation, reliability and customer satisfaction in electrical solutions, expanding globally.

Mission

Leading the industry with superior quality PVC Electrical Conduit Pipes & Accessories for seamless and safe electrical systems.

DYNAMICS MULTIPRO

Where Quality Meets Innovation.

Technical Specifications

DIMENSIONS OF ROUND CONDUITS [AS PER IS : 9537 (PART 3)]					
			INSIDE DIAMETER (MIN) (MM)		
NOMINAL SIZE (MM)	OUTER DIAMETER (MM)	TOLERANCE ON OUTSIDE DIAMETER MM	LIGHT (LMS)	MEDIUM (MMS)	HEAVY (HMS)
20	20	- 0.3	17.4	16.9	15.8
25	25	- 0.4	22.1	21.4	20.6
32	32	- 0.4	28.6	27.8	26.6

Bending Characteristics :

- At Room Temperature - No cracks visible to normal or corrected vision without magnification.
- At -5 Degree C (+/-2 Degree C) - No cracks visible to normal or corrected vision without magnification.
- No cracks visible at 180° bending.

Compression Characteristics :

- Percentage of Compression with specified load is less than 25%.
- Percentage of Compression without load is less than 10%.
- Retains the original shape on the removal of the force.

Impact Characteristics :

- High lmpact Strength.
- No cracks will be visible to the naked eye.
- There will be no sign of disintegration.

Thermal Characteristics :

- Working Temp. = -5 DEGREE C. To +70 Degree C.
- Burning Rate = Self Extinguishing.
- Flammability = UL94V-0
- Flame Die Out Time = less than 30 seconds.

Electrical Characteristics :

- Electrical Strength = No Breakdown Observed At 2000V.
- Insulation Resistance = Min 1000 Mili Ohms.

Key Specification

- Pure PVC ☑
- Safe and Secure ☑
- Clean Laser Printing ☑
- Quick & Easy Installation ☑
- Feather Weight ☑
- Matte Exterior, Smooth Interior ☑
- Eco-Friendly ☑
- Durable Impact ☑
- Rust-Resistant ☑
- F.R.L.S. (Flame Retardant and Low Smoke) ☑
- Socketed end and Plain end ☑

Colour Variety Available

Ivory | Grey | Black

PESOFIT®

SURAKSHIT SAATHI ZINDAGI KA

WHY PESOFIT ?

Our Standard Brand Solution...

- **Balanced Affordability :**
  Pesofit strikes a balance between cost and quality, providing a standard option in the medium price range.

- **Trusted Manufacturer :**
  Backed by Dynamics Multipro, a reputed manufacturer, Pesofit benefits from the expertise and commitment to excellence in the electrical conduit industry.

- **Reliable Performance :**
  Pesofit products offer reliable performance, meeting industry standards for durability and functionality.

- **Versatile Solutions :**
  Designed to cater to a variety of electrical conduit needs, Pesofit provides versatile solutions within the standard price range.

- **Consistent Quality :**
  Despite being in the medium price range, Pesofit maintains consistent quality, ensuring a reliable & cost-effective choice for electrical infrastructure projects.

PESOFIT®

SURAKSHIT SAATHI ZINDAGI KA

IS:9537 PART 3

CM/L- 7700179213

PESOFIT PRODUCT	SIZE OD MM	STANDARD PACK (IN NOS)	STANDARD PACK (IN MTRS)
	RIGID PVC CIRCULAR CONDUIT PIPES ISI.FRLS (HSN CODE: 39172310)		
	LMS (LIGHT MECHANICAL STRESS)		
	20MM	75	225
	25MM	50	150
	32MM*	50	150
	MMS (MEDIUM MECHANICAL STRESS)		
	20MM	75	225
	25MM	50	150
	32MM*	50	150
	HMS (HEAVY MECHANICAL STRESS)		
	20MM	75	225
	25MM	50	150
	32MM*	50	150

PESOFIT PRODUCT	SIZE OD MM	STANDARD PACK (IN NOS)	STANDARD PACK (IN MTRS)
	**RIGID PVC CIRCULAR CONDUIT PIPES** (HSN CODE: 39172310)		
	NON-ISI FRLS		
	19MM* (LMS)	150	450
	19MM* (MMS)	150	450
	19MM* (HMS)	150	450
	20MM (LIGHT)	150	450
	25MM (LIGHT)	100	300

PESOFIT PRODUCT	DIMENSION	PKG.	MASTER PKG.
	RIGID PVC SLIP BEND ISI (HSN CODE: 39174000)		
	20MM	150	1800
	20MM*	150	1800
	25MM	100	1200
	25MM*	100	1200
	RIGID PVC SLIP BEND (HSN CODE: 39174000)		
	20MM	150	1800
	25MM	100	1200
	COUPLER (HSN CODE: 39174000)		
	20MM	150	2250
	25MM	100	1500
	1 WAY SURFACE JUNCTION BOX WITHOUT SCREW (HSN CODE: 39174000)		
	20MM	20	1200
	25MM	20	1200
	2 WAY SURFACE JUNCTION BOX WITHOUT SCREW (HSN CODE: 39174000)		
	20MM	20	960
	25MM	20	960
	3 WAY SURFACE JUNCTION BOX WITHOUT SCREW (HSN CODE: 39174000)		
	20MM	20	720
	25MM	20	720
	4 WAY SURFACE JUNCTION BOX WITHOUT SCREW (HSN CODE: 39174000)		
	20MM	20	720
	25MM	20	720

PESOFIT PRODUCT	DIMENSION	PKG.	MASTER PKG.
	ROUND & FAN PLATES (HSN CODE: 39174000)		
	3"	200	2400
	4"	100	1500
	4.5"	100	1500
	6"	50	750
	BULB HOLDER (HSN CODE: 85366110)		
	ANGLE	20	1000
	BATTEN	20	1000
	CEILING FITTING (HSN CODE: 85366110)		
	CEILING ROSE	20	1600
	1 WAY DEEP JUNCTION BOX WITHOUT SCREW (HSN CODE: 39174000)		
	20MM	12	720
	25MM	12	720
	2 WAY DEEP JUNCTION BOX WITHOUT SCREW (HSN CODE: 39174000)		
	20MM	12	576
	25MM	12	576
	3 WAY DEEP JUNCTION BOX WITHOUT SCREW (HSN CODE: 39174000)		
	20MM	12	432
	25MM	12	432
	4 WAY DEEP JUNCTION BOX WITHOUT SCREW (HSN CODE: 39174000)		
	20MM	12	432
	25MM	12	432

PESOFIT®

SURAKSHIT SAATHI ZINDAGI KA

IS:9537 PART 3

CM/L- 7700179213

PESOFIT PRODUCT	DIMENSION	PKG.	MASTER PKG.
	1 WAY SURFACE JUNCTION BOX WITH SCREW (HSN CODE: 39174000)		
	20MM	20	1200
	25MM	20	1200
	2 WAY SURFACE JUNCTION BOX WITH SCREW (HSN CODE: 39174000)		
	20MM	20	960
	25MM	20	960
	3 WAY SURFACE JUNCTION BOX WITH SCREW (HSN CODE: 39174000)		
	20MM	20	720
	25MM	20	720
	4 WAY SURFACE JUNCTION BOX WITH SCREW (HSN CODE: 39174000)		
	20MM	20	720
	25MM	20	720
	1 WAY SURFACE JUNCTION BOX WITH NUT & BOLT (HSN CODE: 39174000)		
	20MM	20	1200
	25MM	20	1200
	2 WAY SURFACE JUNCTION BOX WITH NUT & BOLT (HSN CODE: 39174000)		
	20MM	20	960
	25MM	20	960
	3 WAY SURFACE JUNCTION BOX WITH NUT & BOLT (HSN CODE: 39174000)		
	20MM	20	720
	25MM	20	720
	4 WAY SURFACE JUNCTION BOX WITH NUT & BOLT (HSN CODE: 39174000)		
	20MM	20	720
	25MM	20	720

PESOFIT PRODUCT	DIMENSION	PKG.	MASTER PKG.
	1 WAY DEEP JUNCTION BOX WITH SCREW (HSN CODE: 39174000)		
	20MM	12	720
	25MM	12	720
	2 WAY DEEP JUNCTION BOX WITH SCREW (HSN CODE: 39174000)		
	20MM	12	576
	25MM	12	576
	3 WAY DEEP JUNCTION BOX WITH SCREW (HSN CODE: 39174000)		
	20MM	12	432
	25MM	12	432
	4 WAY DEEP JUNCTION BOX WITH SCREW (HSN CODE: 39174000)		
	20MM	12	432
	25MM	12	432
	1 WAY DEEP JUNCTION BOX WITH NUT & BOLT (HSN CODE: 39174000)		
	20MM	12	720
	25MM	12	720
	2 WAY DEEP JUNCTION BOX WITH NUT & BOLT (HSN CODE: 39174000)		
	20MM	12	576
	25MM	12	576
	3 WAY DEEP JUNCTION BOX WITH NUT & BOLT (HSN CODE: 39174000)		
	20MM	12	432
	25MM	12	432
	4 WAY DEEP JUNCTION BOX WITH NUT & BOLT (HSN CODE: 39174000)		
	20MM	12	432
	25MM	12	432

	**CONCEALED GALVANISED METAL BOXES OF 1.0 MM THICKNESS** (HSN CODE: 85389000)			
	1 OR 2 MODULE	8.0 x 7.6 x 5.5	15	150
	3 MODULE	8.0 x 10.1 x 5.5	12	120
	4 MODULE	8.0 x 13.6 x 5.5	10	80
	6 MODULE	8.0 x 20.9 x 5.5	10	60
	8 MODULE HORIZONTAL	8.0 x 23.0 x 5.5	5	50
	8 MODULE SQUARE	13.3 x 13.5 x 5.5	5	40
	12 MODULE	13.3 x 20.9 x 5.5	5	30
	18 MODULE	20.4 x 20.9 x 5.5	5	20

Certificates



Government Of Maharashtra
Office Of The Superintending Engineer (Electrical)
Vigilance and Quality Control Circle, Public Work Department
Bandtkam Bhavan, Shah Nagar, Chhatrapati Sambhajinagar – 431001

Web Site : www.mahapwd.gov.in
Email : elvcpcurrengpdlucw@mahapwd.gov.in
Phone No.: (0240) 2951144

Out Ward No.SE/Elect/VQCC/Mapa/ 2, 2, /2024
Date: 31/05/2024

To,
M/s. Dynamics Multipro,
1, 2nd Floor, Manaing Market,
Near Railway Station, Jalgaon-425001.

Sub : Approval to use material on works carried out by Government of Maharashtra.

Ref : 1. Your Letter No. Nil Dt.05.11.2023
2. This Office Letter No. SE/Elec/Vig & QC/Dr/Comp. Bhavan/2023 Dt. 12.12.2023
3. Binasini Test House Letter No. Nil (Report No. SE-15122023-13) Dt.22.12.2023
4. DRDA, Vadodara Letter No. WD-2324-034702 (Report No.: RP-IND-6037911) Dt. 29.04.2024 (Copy Received to this office on Dt. 09.05.2024)
5. Approved Office Note by Hon. Chief Engineer, PW Region, Chhatrapati Sambhajinagar.

Dear Sir/ Madam,
The material approval proposal submitted by you has been verified by this office and now unconfirmed planned to inform you that the proposal of below mentioned material is hereby approved with following details to be used or works carried out by Government of Maharashtra.

Name of Material	:	PVC Conduit
Brand Name	:	PRM
Description of the materials	:	HIGH PVC Conduit, RRLS Grade Up to 25mm Dia.
Reference of standards	:	IS 9537 : Part 3 : 1983
Validity of Approval	:	Three Years i.e. Up to 31.05.2027

This approval is given subject to following Terms & Conditions,
1. The performance of the material must remain satisfactory during the validity period.
2. The materials being sunt on Govt. sites should be of same quality, design and size as the sample limited.
3. Any changes in design, specification and content of materials shall be brought to the notice of this office and should get re-approved.
4. This approval will stand cancelled automatically, if the BIS license is discontinued due to any of the reason what so ever and the same should be intimated to this office immediately by manufacturer.
Kindly note that, right to revoke above approval at any time without assigning any reason has been retained by the department.

Yours Faithfully,

(Dayanand P. Bahatre)
Superintending Engineer (Elect.)
Vigilance and Quality Control Circle
Public Works Deptt., Chha. Sambhajinagar

Copy:
1. Hon. Chief Engineer, Public Works Region, Chhatrapati Sambhajinagar... for kind information please.
2. Superintending Engineer (Elect), PWD Mumbai/ Pune/ Nanded/ Nagpur ...for information and n.a. please.
3. All Executive Engineer, Electrical Divisions, PWD, Maharashtra...for information and n.a.



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
Ministry of Consumer Affairs, Food & Public Distribution
Government of India

Our Ref: MUMDO/CM/L 7700179213 Dated: 07 December 2023
Subject: Grant of ISI Certification Marks Licence No 7700179213 as per IS 9537 : PART 3 1983.

M/S DYNAMICS MULTIPRO
C-76, BIJUSAWAL MIDC, BHUSAWAL,
JALGAON -425201,
MAHARASHTRA,INDIA

Dear Madam/s/Sir,
With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted by you to use the Standard Mark in respect of the following:
Product : Conduits for electrical installations: Part 3 Rigid plain conduits of insulating materials (superseding IS 2309) as per IS 9537 : PART 3:1983

Grade/Class/Type/Variety	Name of the product: Conduits for Electrical Installations- Rigid Plain Conduits of Insulating Materials, Type: Medium Mechanical Stress, Nominal Sizes: 25mm, 32mm , Type of End connection: Plain End, Socket End

2.The number assigned to this licence is CM/L- 7700179213 which has been made operative from 26/12/2023 and is valid upto 25/11/2027. The licence number should invariably be referred to in your future correspondence.

According to sub-regulation (1) (b1) of Paragraph 5 of scheme 1 of Schedule II under Bureau of Indian Standards (Conformity of Assessment) Regulations, 2018, the annual license fee of Rs. 1000.00 and the marking fee for use of standard mark as per Association of Scheme 1 of BIS(Conformity assessment) Regulation 2018 is payable by you with effect from 26/12/2023 for the period of validity of the licence in advance.

3. Maximum marking fee stipulated in Annexure II of scheme 1 of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of fact whether you actually mark your product of not with the Standard Mark. Our Receipt No. AA77PC2021811210 dated 29-10-2021 for the licence fee and the minimum marking fee for the first operative period is already issued.

4. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit sale or the production reported or the minimum marking fee, whichever is higher shall be payable by you at the time of renewal.

Page 1 of 2



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

ATTACHMENT TO LICENCE NO. CM/L 7700179213

CM/L No.	NAME OF THE LICENSEE WITH THE FACTORY ADDRESS	NAME OF THE PRODUCT	INDIAN STANDARD NO.
7700179213	M/S DYNAMICS MULTIPRO C-76, BIJUSAWAL MIDC, BHUSAWAL, JALGAON -425201, MAHARASHTRA	Conduits for electrical installations: Part 3 Rigid plain conduits of insulating materials (superseding IS 2309)	IS 9537 : PART 3 : 1983

ENDORSEMENT NO. 01 Dated 16/12/2023

The following addition in the scope of licence have been approved by the Bureau with immediate effect from 16/12/2023

1. Conduits for Electrical Installations- Rigid Plain Conduits of Insulating Materials, Type: Heavy Mechanical Stress, Nominal Sizes: 20mm, 25mm, Type of End connection: Plain End, Socket End.

Other terms and conditions of licence remain the same.

SANJAY VIJ
Sc. F/ Senior Director & Head (MUMBAI-1)

Page 1 of 1



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
WESTERN REGIONAL OFFICE
Mumbai Branch Office - I

ATTACHMENT TO LICENCE NO. CM/L 7700179213

CM/L NO	NAME OF THE LICENSEE WITH ADDRESS	PRODUCT	IS NO
7700179213	DYNAMICS MULTIPRO C-76, BIJUSAWAL MIDC, BHUSAWAL, JALGAON -425201, MAHARASHTRA	Conduits for electrical installations: Part 3 Rigid plain conduits of insulating materials (superseding IS 2309)	IS 9537 : PART 3 : 1983

ENDORSEMENT NO. 2 Dated 21/01/2025

The following addition in the scope of licence have been approved by the Bureau with immediate effect from 21/01/2025

1. Conduits for Electrical Installations- Rigid Plain Conduits of Insulating Materials, Type: Heavy Mechanical Stress, Nominal Sizes: 20mm, 25mm, Type of End connection: Plain End, Socket End.

Other terms and conditions of licence remain the same.

(SANJAY VIJ)
Sc. F/ Senior Director & Head (MUMBAI-1)



महाराष्ट्र गृहनिर्माण व क्षेत्रविकास प्राधिकरण
MAHARASHTRA HOUSING AND AREA DEVELOPMENT AUTHORITY
म्हाडा MHADA

APPROVAL LETTER

To,
M/S. DYNAMICS MULTIPRO
1,2nd Floor, Manaing Market,
Near Railway Station
Jalgaon 425001
Maharashtra.

Re : CR-1/EE/Elect./A/ 2168 /2023
Date : 27/12/2023

Sub :- Approval of Products under : PRM , PEROFIT & FYRK " Brand
PVC conduit Pipe fittings for use in MHADA works.

Ref :- 1) Your letter No : Nil , dtd.:12/10/2023

Sir,
This has reference to your above said letters and subsequent correspondence on captioned subject matter. As requested, your proposal for registration of the following products manufactured by M/s. DYNAMICS MULTIPRO for use in MHADA projects is hereby approved on the following terms and conditions.

- PRM, PEROFIT & FYRK " Brand of Conduit Pipe Such as :-
1) Rigid Plain PVC conduit pipes & Bend of 20MM, 25MM, 32MM (Light , Medium, Heavy Mechanical Stress) & fittings for electrical installation of Non -Metallic & Metallic part-3 (Super seeding IS:2309) IS: 9537 P-3:1983.

Terms and Conditions :

1) The validity of the enlistment shall be only for TWO years on experimental basis from issue of this letter. However, the MHADA reserves the right to cancel the same.
2) The product shall be in conformity with requirements of specifications of Bureau of Indian Standards. BIS registration has to be taken on earlier as possible and the same shall be intimated to this office.
3) The approval has been granted on the basis of documents/information furnished by the vendor. The approval would be cancelled if any details are found in variance to the details already furnished during the inspection of to the details already furnished during the inspection of manufacturing unit. MHADA reserves the right to visit the manufacturing unit at any time.
4) The organisations shall not lend MHADA to give the vendor any priority or preference in the issue of enquiry and placement of purchase orders and does not guarantee that all or any of the enquiries for the above items would necessarily be sent to vendor.
5) The vendor shall arrange for visit for MHADA Engineers for inspection of sites,

ELECTRICAL RESEARCH AND DEVELOPMENT ASSOCIATION
ERDA

TEST REPORT

TEST SPECIFICATION

ERDA



BIRASINI TEST HOUSE
Govt. Approved ISO 9001 : 2015 / ISO 14001 : 2015 Certified Laboratory
NABL Accredited Testing Laboratory

TEST REPORT

Issued To,
Deputy Engineer (Elect.)(I)
Vigilance and Quality Control Circle
P.W.D. Chhatrapati Sambhaji Nagar
Maharashtra

Report No. : SE-15122023-13
Date of Receiving : 15/12/2023
Date of Starting : 15/12/2023
Date of Completion : 21/12/2023
Date of Reporting : 22/12/2023
Submitted By : Customer
Page 1 of 2

Sample Description : 25 mm PVC Conduit Pipe (HMD) FR(S) Grade
Brand/Work : PRM
Mfg. : M/s. Dynamics Multipro, Plot No C 76, Bhusawal Industrial Area, Khadki, Bhusawal, Jalgaon 425201.
Our Ward No. : Sr/Elec/VQCC/Comp. Bhusawal/2023-24, 12/12/2023

S.No.	Test Parameters	Unit	Method	Result	Limit
1.	Flammability Test	-	10.1(f)	V-0	V-0
2.	Rate of Burning Test	mm	ASTM D 635	Flame extinguishes before reaching 25 mm mark.	25 Max
3.	Limiting Oxygen Index (LOI)	%	ASTM D 2863	75	29 Min.
4.	Smoke Density	%	ASTM D 2843	48	60 Max.

Authorised Signatory

Laboratory Office: A/31 & 32a/3, Industrial Area, Sahibabad, Ghaziabad, U.P. - 201010
Ph.: 0120-4108816, E-mail : birasinitesthouse@gmail.com, Website : www.birasinitesthouse.in

BIRASINI TEST HOUSE
Govt. Approved ISO 9001 : 2015 / ISO 14001 : 2015 Certified Laboratory
NABL Accredited Testing Laboratory

TEST REPORT

Report No. : SE-15122023-13 Page 2 of 2

Summary
Number of Sample : 5 Sample for the purpose of flammability testing as per UL94 vertical
Size of Specimens : 125 mm x 13 mm x 3.20 mm were flame sample were conditioned for 48 hours at 23°C with 50% RH.
Flame Application : Flame was applied to the mid point portion at bottom edge was 20mm from the top of the 125 x 13 mm test flame of height 20 mm
Flame was applied 10 second the removed when after flaming stopped the flame was again under the sample again at a distance of 10 mm for an additional 10 second.

Flammability Test UL94 V0

Sample	S-1	S-2	S-3	S-4	S-5	Limits
Flame Temp. °C	820	825	830	829	828	
1st After flame time (seconds) t1	3.4	2.8	3.5	3.2	3.5	10 second max after flame source removed
After flame plus afterglow time after 2nd flame (second) t2 +t3	2.8	2.2	2.9	2.4	2.7	30 Seconds Max
Total flame time for 1st & 2nd flame (sec.)			28.5			50 Seconds Max

t1 = After flame time after first flame applied.
t2 = After flame time after second flame applied.
t3 = Afterglow time after second flame applied.

*** END OF REPORT ***

Authorised Signatory

Laboratory Office: A/31 & 32a/3, Industrial Area, Sahibabad, Ghaziabad, U.P. - 201010
Ph.: 0120-4108816, E-mail : birasinitesthouse@gmail.com, Website : www.birasinitesthouse.in

22/08/2022, 13:25 Print - Udyam Registration Certificate

भारत सरकार
Government of India
सूक्ष्म, लघु एवं मध्यम उद्यम मंत्रालय
Ministry of Micro, Small and Medium Enterprises

UDYAM REGISTRATION CERTIFICATE

UDYAM REGISTRATION NUMBER	UDYAM-MH-14-0001738
NAME OF ENTERPRISE	DYNAMICS MULTIPRO
TYPE OF ENTERPRISE *	MICRO (Based on FY 2020-21) (MICRO Having FY 2019-20)
MAJOR ACTIVITY	MANUFACTURING
SOCIAL CATEGORY OF ENTREPRENEUR	GENERAL

NAME OF UNIT(S)

S.No.	Name of Unit(s)
1	M/S DYNAMICS MULTIPRO

Flat/Door/Block No.	OFFICE NO 1	Name of Premises/ Building	SECOND FLOOR
Village/Town	JALGAON	Block	MANSHIV MARKET
Road/Street/Lane	NEAR RAILWAY STATION	City	JALGAON
State	MAHARASHTRA	District	JALGAON , Pin 425001
Mobile	9403987414	Email	DYNAMICSMULTIPRO@GMAIL.COM

OFFICIAL ADDRESS OF ENTERPRISE

DATE OF INCORPORATION / REGISTRATION OF ENTERPRISE	09/08/2018
DATE OF COMMENCEMENT OF PRODUCTION/BUSINESS	01/09/2021

NATIONAL INDUSTRY

S.No.	NIC 2 Digit	NIC 4 Digit	NIC 5 Digit	Activity

https://udyamregistration.gov.in/Udyam_User/Udyam_Print_Application.aspx 1/2

Certificate of Registration

This is to Certify that
Quality Management System of

DYNAMICS MULTIPRO

FACTORY ADDRESS:C/76, BIJUSAWAL MIDC, BHUSAWAL, JALGAON, MAHARASHTRA -425201, INDIA.

OFFICE ADDRESS: 1, 2ND FLOOR, MANSING MARKET, NEAR RAILWAY STATION, JALGAON, MAHARASHTRA, 425001

has been assessed and found to conform to the requirements of

ISO 9001:2015

for the following scope :

MANUFACTURING OF RIGID PLAIN CONDUITS OF INSULATING MATERIALS FOR ELECTRICAL INSTALLATIONS OR, SF & SF MEDIUM LIGHT, MEDIUM AND HEAVY MECHANICAL STRESS, PLAIN AND SOCKET ENDED ALONGWITH FITTINGS, VARIOUR ELECTRICAL BOXES & GAVERDHAN PIPES.

Certificate No : 21EQES01R1
Initial Registration Date : 18/10/2021
Date of Expiry : 17/10/2024
1st Surve. Due : 18/09/2022
Issuance Date : 26/09/2022
2nd Surve. Due : 18/09/2023

Director

Magnitude Management Services Pvt. Ltd.



(Amended)

Government of India
Ministry of Commerce and Industry
Directorate General of Foreign Trade
Office of the Additional Director General of Foreign Trade, Mumbai
CGO Office, Hutt Building, 3rd wing,New Marine Lines, Churchgate,Mumbai

Importer-Exporter Code

This is to certify that DYNAMICS MULTIPRO is issued an Importer Exporter Code (IEC) AAFPD1758M with details as follows:

IEC	AAFPD1758M
PAN	AAFPD1758M
Firm/Name	DYNAMICS MULTIPRO
Nature of Concern	Partnership
Date of Incorporation	14/04/2021
Registered Address	1,2ND FLOOR, MANSHIVSH MARKET, NEAR RAILWAY STATION,,,JALGAON,JALGAON,MAHARASHTRA,425001
Name of the Director/Partner/Karta/Proprietor	Pallavika Virendra Chhajed
Director / Partner Details	Refer online at https://dgft.gov.in or scan the QR Code
Branch Details	Refer online at https://dgft.gov.in or scan the QR Code

Last Modified : 14/04/2021
File Number : MUMBAI/AAFPD1758M/03/IMA/0251

Note : This is a system generated certificate. Authenticity / Updated details of the IEC can be checked at official DGFT website https://dgft.gov.in by entering the IEC and Firm Name under Services > View Any IEC Details. You can also authenticate the certificate by scanning the QR code.



Government of India
Ministry of Commerce and Industry
Directorate General of Foreign Trade
Office of the Additional Director General of Foreign Trade, Mumbai
CGO Office, Hutt Building, 3rd wing,New Marine Lines, Churchgate,Mumbai

Importer-Exporter Code

This is to certify that DYNAMICS MULTIPRO is issued an Importer Exporter Code (IEC) AAFPD1758M with details as follows:

IEC	AAFPD1758M
PAN	AAFPD1758M
Firm/Name	DYNAMICS MULTIPRO
Nature of Concern	Partnership
Date of Incorporation	14/04/2021
Registered Address	1,2ND FLOOR, MANSHIVSH MARKET, NEAR RAILWAY STATION,,,JALGAON,JALGAON,MAHARASHTRA,425001
Name of the Director/Partner/Karta/Proprietor	Pallavika Virendra Chhajed
Director / Partner Details	Refer online at https://dgft.gov.in or scan the QR Code
Branch Details	Refer online at https://dgft.gov.in or scan the QR Code

Last Modified : 14/04/2021
File Number : MUMBAI/AAFPD1758M/03/IMA/0251

Note : This is a system generated certificate. Authenticity / Updated details of the IEC can be checked at official DGFT website https://dgft.gov.in by entering the IEC and Firm Name under Services > View Any IEC Details. You can also authenticate the certificate by scanning the QR code.



PLEDGE

Zed

under MSME Sustainable (ZED) Certification Scheme

We undertake to conform to the values of Zero Defect Zero Effect in our enterprise and ensure that our processes shall be environmentally sound and socially responsible with safe and high quality products.

We will give back, in every way we can, to our people our community and to our planet.

M/S DYNAMICS MULTIPRO

Apnaarogo ZED!

BIG Thank You

For exploring our Dynamics Multipro Company !

Your curiosity fuels our excitement. Questions or want a deeper dive?

We're all ears — reach out anytime!

DYNAMICS MULTIPRO

Beyond The Expectations

OFFICE : Office No. 1, Second Floor, Mansing Market,
Near Railway Station, Jalgaon – 425001, MH (India)

FACTORY : Plot No. C-76, Kinhi M.I.D.C., Bhusawal Growth Center,
Bhusawal – 425311, Dist. Jalgaon, MH (India)

Customer Care : 90 70 60 90 40

E-mail ID : connect@dynamicsmultipro.com

www.dynamicsmultipro.com

malhar.org